Author Index

AALBERSE R.C. *see* SCHUURMAN J.
ABRAHAMS V.M. *see* EDWARDS J.C.W.
AGSTERIBBE E. *see* DE HAAN L.
AKATSUKA Y. *see* ZHU L.
ALLEN A. *see* DAVIES D.
ALLEN J.M. *see* CAMERON A.J.
ALVI S.A., RAJASINGAM D., BROWN N.L., ELDER M.G., BENNETT P.R. & SULLIVAN M. H. F. The production of interleukin-1β from human fetal membranes is not obligatory for increased prostaglandin output, 249
AMASAKI H. *see* MATSUMOTO S.
ANASETTI C. *see* ZHU L.
ANDEREGGEN E. *see* OBERHOLZER J.
ANDERSEN J.K. *see* TAKAMATSU H.
ANTTILA M. *see* PENTTIL, J.M.
ARIEL A. *see* RABINOVICH G.A.
ARVIEUX J. *see* REGNAULT V.
AUSTYN J.M. *see* HILL M.E.
AYALA A., CHUNG C.-S., XU Y.X., EVANS T.A., REDMOND K.M. & CHAUDRY I. H. Increased inducible apoptosis in $CD4^+$ T lymphocytes during polymicrobial sepsis is mediated by Fas ligand and not endotoxin, 45
AZUMA N. *see* SHIMODA M.

BACA-ESTRADA, M.E. *see* MUTWIRI G.
BAHR G.M. *see* HERMANN E.
BANLA M. *see* SOBOSLAY P.T.
BATCHASSI E. *see* SOBOSLAY P.T.
BAUER M., HEEG, K., WAGNER H. & LIPFORD G.B. DNA activates human immune cells through a CpG sequence-dependent manner, 699
BEFUS A.D. *see* WILLS F.L.
BEGEMANN G. *see* ZWIRNER J.
BEHERA A.K. *see* KUMAR M.
BENNETT P.R. *see* ALVI S.A.
BESKORWAYNE T. *see* MUTWIRI G.
BILOTTA S. *see* FILTEAU S.M.
BIRD C. *see* MEAGER A.
BONATO V.L.D. *see* SILVA C.L.
BORREGO F., ROBERTSON M.J., RITZ J., PEñA J. & SOLANA R. CD69 is a stimulatory receptor for natural killer cell and its cytotoxic effect is blocked by CD94 inhibitory receptor, 159
BOURSIER L., DUNN-WALTERS D.K. & SPENCER J. Characteristics of IgV_H genes used by human intestinal plasma cells from childhood, 558
BRENNAN F.R. *see* PARISH N.M.
BROLIN R.E. *see* ROBERTS A.I.
BROWN N.L. *see* ALVI S.A.
BUEHLER L. *see* OBERHOLZER J.
BUISMAN A.M., VAN ZWET TH.L., LANGERMANS J.A.M., GEERTSMA M.F., LEENEN P.J.M. & VAN FURTH R. Different effect of granulocyte colony-stimulating factor or bacterial infection on bone-marrow cells of cyclophosphamide-treated or irradiated mice, 601
BULLIARD C. *see* MüLLER S.
BURCHELL J.M. *see* SMITH M.

CAMBRIDGE G. *see* EDWARDS J.C.W.
CAMERON A.J. & ALLEN J. M. The human high-affinity immunoglobulin G receptor activates SH2-containing inositol phosphatase (SHIP), 641
CAO X., ZHANG W., WANG J., ZHANG M., HUANG X., HAMADA H. & CHEN W. Therapy of established tumour with a hybrid cellular vaccine generated by using granulocytemacrophage colony-stimulating factor genetically modified dendritic cells, 616
CAPRON A. *see* HERMANN E.
CARROLL M. *see* SHEERIN N.S.
CHANG H. *see* WANG H.
CHAUDRY I.H. *see* AYALA A.
CHEEVER A.W. *see* MOUNTFORD A.P.
CHEN B.-C., CHEN Y.-H. & LIN W.-W. Involvement of p38 mitogen-activated protein kinase in lipopolysaccharide-induced iNOS and COX-2 expression in J774 macrophages, 124
CHEN W. *see* CAO X.
CHEN W.F. *see* GE Q.
CHEN Y.-H. *see* CHEN B.-C.
CHESNE S. *see* KERBLAT I.
CHIANG B.-L. *see* LEE Y.-L.
CHOE I.S. *see* KIM K.D.
CHOE Y.-K. *see* KIM K.D.
CHONG I.-W. *see* SHI M.M.
CHUNG C.-S. *see* AYALA A.
CHUNG S.W. *see* KANG B.Y.
COGNÉ M. *see* TROUTAUD D.
COHEN E.P. *see* SMITH M.
CONDE C. *see* LóPEZ-HOYOS M.
COOKE A. *see* PARISH N.M.
COOPER J.A. *see* ZHU L.
COTTER T.G. *see* CREAGH E.M.
COULSON P.S. *see* MOUNTFORD A.P.
CREAGH E.M. & COTTER T. G. Selective protection by hsp 70 against cytotoxic drug-, but not Fas-induced T-cell apoptosis, 36
CRETIN N. *see* OBERHOLZER J.

DAI W.J. & GOTTSTEIN B. Nitric-oxide-mediated immunosuppression following murine *Echinococcus multilocularis* infection, 107
DARCISSAC E. *see* HERMANN E.
DAVID B. *see* TKACZYK C.
DAVIES D., LARBI K., ALLEN A., SANZ M.-J., WEG V.B., HASKARD D.O., LOBB R.R. & NOURSHARGH S. VCAM-1 contributes to rapid eosinophil accumulation induced by the chemoattractants PAF and LTB_4: evidence for basal expression of functional VCAM-1 in rat skin, 150
DAWS M.R., ERIKSSON M., ÖBERG L., ULLÉN A. & SENTMAN C.L. H-$2D^d$ engagement of Ly49A leads directly to Ly49A phosphorylation and recruitment of SHP1, 656
DE GRUIJL F.R. *see* GARSSEN J.
DE HAAN L., HOLTROP M., VERWEIJ W.R., AGSTERIBBE E. & WILSCHUT J. Mucosal immunogenicity and adjuvant activity of the recombinant A subunit of the *Escherichia coli* heat-labile enterotoxin, 706
DECOURT C. *see* TROUTAUD D.
DEL CAMPO E.G. *see* LÓPEZ-HOYOS M.
DEMOTZ S. *see* MüLLER S.
DENYER M.S. *see* TAKAMATSU H.
DERETZI G., PELIDOU S.H., ZOU L.P., QUIDING C. & ZHU J. Local effects of recombinant rat interleukin-6 on the peripheral nervous system, 582
DERETZI G., PELIDOU S.H., ZOU L.-P., QUIDING C., MIX E., LEVI M., WAHREN B. & ZHU J. Suppression of chronic experimental autoimmune neuritis by nasally administered recombinant rat interleukin-6, 69
DI MARCO R. *see* NICOLETTI F.
DI MAURO M. *see* NICOLETTI F.
DILGER P. *see* MEAGER A.
DIOUF A. *see* GARRAUD O.
DROUET C. *see* KERBLAT I.

DROUET M. *see* TROUTAUD D.
DUBOIS K.A. *see* KAREM K.L.
DUNN-WALTERS D.K. *see* BOURSIER L.

EBERT E.C. *see* ROBERTS A.I.
EDA S. *see* KASE T.
EDWARDS J.C.W., CAMBRIDGE G. & ABRAHAMS V.M. Do self-perpetuating B lymphocytes drive human autoimmune disease?, 188
ELDER M.G. *see* ALVI S.A.
ERIKSSON M. *see* DAWS M.R.
ERIKSSON M., RYAN J.C., NAKAMURA M.C. & SENTMAN C.L. Ly49A inhibitory receptors redistribute on natural killer cells during target cell interaction, 341
EVANS T.A. *see* AYALA A.

FACCIOLI L.H. *see* SILVA C.L.
FAYEN J.D. & TYKOCINSKI M. L. The expansion of human γδ T cells in response to Daudi cells requires the participation of $CD4^+$ T cells, 272
FERGUSON D.J.P. *see* HILL M.E.
FILTEAU S.M., LIETZ G., MULOKOZI G., BILOTTA S., HENRY C.J.K. & TOMKINS A. M. Milk cytokines and subclinical breast inflammation in Tanzanian women: effects of dietary red palm oil or sunflower oil supplementation, 595
FLUITMAN A. *see* GARSSEN J.
FRELINGER J.G. *see* STOROZYNSKY E.
FU C.-L. *see* LEE Y.-L.
FUKUNAGA T. *see* TANEGASHIMA A.

GARRAUD O., DIOUF A., HOLM I., NGUER C.M., SPIEGEL A., PERRAUT R. & LONGACRE S. Secretion of parasite-specific immunoglobulin G by purified blood B lymphocytes from immune individuals after *in vitro* stimulation with recombinant *Plasmodium falciparum* merozoite surface protein-1_{19} antigen, 204
GARRAUD O., DIOUF A., HOLM I., PERRAUT R. & LONGACRE S. Immune responses to *Plasmodium falciparum*–merozoite surface protein 1 (MSP1) antigen, II. Induction of parasite-specific immunoglobulin G in unsensitized human B cells after *in vitro* T-cell priming with $MSP1_{19}$, 497
GARSSEN J., VANDEBRIEL R.J., DE GRUIJL F.R., WOLVERS D.A.W., VAN DIJK M., FLUITMAN A. & VAN LOVEREN H. UVB exposure-induced systemic modulation of Th1- and Th2-mediated immune responses, 506
GE Q. & CHEN W. F. Phenotypic identification of the subgroups of murine T-cell receptor $\alpha\beta^+$ $CD4^+CD8^-$ thymocytes and its implication in the late stage of thymocyte development, 665
GEERTSMA M.F. *see* BUISMAN A.M.
GEIGER S.M. *see* SOBOSLAY P.T.
GETAHUN A., LUNDQVIST M., MIDDLETON D., WARR G. & PILSTRöM L. Influence of the μ-chain C-terminal sequence on polymerization of immunoglobulin M, 408
GEWURZ H. *see* ZHANG Y.
GILCHRIST M. *see* WILLS F.L.
GODLESKI J.J. *see* SHI M.M.
GONZÁLEZ A. *see* LÓPEZ-HOYOS M.
GONZALEZ-CRUSSI F. *see* WANG H.
GOTTSTEIN B. *see* DAI W.J.
GÖTZE O. *see* ZWIRNER J.
GOUGEON M.-L. *see* NAORA H.
GRAHAM R. *see* SMITH M.
GRANFORS K. *see* KIRVESKARI J.
GRASSO S. *see* NICOLETTI F.
GRIEBEL P. *see* MUTWIRI G.
GUMANOVSKAYA M.L., MYERS L.K., ROSLONIEC E.F., STUART J.M. & KANG A. H. Intravenous tolerization with type II collagen induces interleukin-4 and interleukin-10-producing $CD4^+$ T cells, 466

HALLIDAY G.M. *see* LUCAS A.D.
HAMADA H. *see* CAO X.
HAMASAKI K. *see* KANDA H.
see also MORINO N.
HANNA S.M. *see* SPILLER O.B.
HAO Y.-P. *see* ZHANG M.
HARDING C.V. *see* SONG R.
HARUTA H., TACHIBANA H. & YAMADA K. Concanavalin A stimulation enhanced secondary VJ rearrangement in some human plasma B cells without up-regulation of recombination-activating gene expression and V germline transcription, 549
HASKARD D.O. *see* DAVIES D.
HE Q. *see* KIRVESKARI J.
HEEG K. *see* BAUER M.
HENRY C.J.K. *see* FILTEAU S.M.
HERMANN E., DARCISSAC E., IDZIOREK T., CAPRON A. & BAHR G. M. Recombinant interleukin-16 selectively modulates surface receptor expression and cytokine release in macrophages and dendritic cells, 241
HERSHKOVIZ R. *see* RABINOVICH G.A.
HILL M.E., FERGUSON D.J.P., AUSTYN J.M., NEWSOM-DAVIS J. & WILLCOX H. N. A. Potent immunostimulatory dendritic cells can be cultured in bulk from progenitors in normal infant and adult myasthenic human thymus, 325
HIMENO K. *see* ZHANG M.
HIRABAYASHI J. *see* RABINOVICH G.A.
HIRAHARA K. *see* SAKAGUCHI M.
HIRAI H. *see* KANDA H.
HIRANO S. & KANNO S. Syk and paxillin are differentially phosphorylated following adhesion to the plastic substrate in rat alveolar macrophages, 414
HIROSE K. *see* MITANI A.
HISAEDA H. *see* ZHANG M.
HOLM I. *see* GARRAUD O.
HOLTROP M. *see* DE HAAN L.
HSUEH W. *see* WANG H.
HU C. & SALGAME P. Inability of interleukin-12 to modulate T helper 0 effectors to T helper 1 effectors: a possible distinct subset of T cells, 84
HUANG W. *see* WANG H.
HUANG X. *see* CAO X.
HWANG S.Y. *see* KANG B.Y.
HYNES R.O. *see* KAWASHIMA N.

IDZIOREK T. *see* HERMANN E.
INOUE Y. *see* SHIMODA M.
INOUYE S. *see* SAKAGUCHI M.
ISENBERG D.A. *see* RIPLEY B.J.M.
ISHIKAWA H. *see* ZHANG M.
ISTURIZ M.S. *see* RUBEL C.
ITO Y. *see* ZHANG M.

JONES D.R. *see* ZHANG Y.
JUNG G. *see* MüLLER Y.

KANDA H. *see* MORINO N.
KANDA H., MIMURA T., HAMASAKI K., YAMAMOTO K., YAZAKI Y., HIRAI H. & NOJIMA Y. Fyn and Lck tyrosine kinases regulate tyrosine phophorylation of $p105^{CasL}$, a member of $p130^{Cas}$ docking protein family, in T-cell receptor-mediated signalling, 56
KANG A.H. *see* GUMANOVSKAYA M.L.
KANG B.Y., CHUNG S.W., LIM Y.S., KIM E.J., KIM S.H., HWANG S.Y. & KIM T. S. Interleukin-12-secreting fibroblasts are more efficient than free recombinant interleukin-12 in inducing the persistent resistance to *Mycobacterium avium* complex infection, 474
KANG K.-W., KIM T.S. & KIM K.-M. Interferon-γ and interleukin-4-targeted gene therapy for the atopic allergic disease, 462
KANNO C. *see* SHIMODA M.
KANNO S. *see* HIRANO S.
KAPP A. *see* ZWIRNER J.
KARANIKAS V., ROWLEY M.J., MACKAY I.R. & LOVELAND B. E. Autoreactive cytotoxic T cells in mice are induced by immunization with a conserved mitochondrial enzyme in Freund's complete adjuvant, 264
KAREM K.L., DUBOIS K.A., McGILL S.L. & REGNERY R. L. Characterization of *Bartonella henselae*-specific immunity in BALB/c mice, 352
KASAI K.-I. *see* RABINOVICH G.A.

KASE T., SUZUKI Y., KAWAI T., SAKAMOTO T., OHTANI K., EDA S., MAEDA A., OKUNO Y., KURIMURA T. & WAKAMIYA N. Human mannan-binding lectin inhibits the infection of influenza A virus without complement, 385
KAWAI T. *see* KASE T.
KAWASHIMA N., NIEDERMAN R., HYNES R.O., ULLMANN-CULLERE M. & STASHENKO P. Infection-stimulated infraosseus inflammation and bone destruction is increased in P-/E-selectin knockout mice, 117
KERBLAT I., DROUET C., CHESNE S. & MARCHE P. N. Importance of thioredoxin in the proteolysis of an immunoglobulin G as antigen by lysosomal Cys-proteases, 62
KIM E.J. *see* KANG B.Y.
KIM J.K. *see* KIM K.D.
KIM K.D., LEE H.G., KIM J.K., PARK S.N., CHOE I.S., CHOE Y.-K., KIM S.J., LEE E. & LIM J.-S. Enhanced antigen-presenting activity and tumour necrosis factor-α-independent activation of dendritic cells following treatment with *Mycobacterium bovis* bacillus CalmetteGuérin, 626
KIM K.-M. *see* KANG K.-W.
KIM S.H. *see* KANG B.Y.
KIM S.J. *see* KIM K.D.
KIM T.S. *see* KANG B.Y.
see also KANG K.-W.
KIMURA Y. *see* MITANI A.
KIRCHHOFF K. *see* ZWIRNER J.
KIRVESKARI J., HE Q., LEIRISALO-REPO M., MÄKI-IKOLA O., WUORELA M., PUTTO-LAURILA A. & GRANFORS K. Enterobacterial infection modulates major histocompatibility complex class I expression on mononuclear cells, 420
KISHI H. *see* TONG J.-J.
KISHIHARA K. *see* UCHIYAMA H.
KIYOHARA H. *see* SAKURAI M.H.
KNOETIG S.M., SUMMERFIELD A., SPAGNUOLO-WEAVER M. & McCULLOUGH K. C. Immunopathogenesis of classical swine fever: role of monocytic cells, 359
KOBAYASHI C. *see* SAKAGUCHI M.
KONAKA A. *see* SAKAGUCHI M.
KONG Y.-Y. *see* UCHIYAMA H.
KUMAR M., BEHERA A.K., MATSUSE H., LOCKEY R.F. & MOHAPATRA S.S. A recombinant BCG vaccine generates a Th1-like response and inhibits IgE synthesis in BALB/c mice, 515
KURIMURA T. *see* KASE T.

LANGERMANS J.A.M. *see* BUISMAN A.M.
LARBI K. *see* DAVIES D.
LATCHMAN D.S. *see* RIPLEY B.J.M.
LE MORVAN C. *see* TROUTAUD D.
LEÃO S.C. *see* SILVA C.L.
LECOMPTE T. *see* REGNAULT V.
LEE E. *see* KIM K.D.
LEE H.G. *see* KIM K.D.
LEE Y.-L., FU C.-L. & CHIANG B.-L. Administration of interleukin-12 exerts a therapeutic instead of a long-term preventive effect on mite *Der p* 1 allergen-induced animal model of airway inflammation, 232
LEENEN P.J.M. *see* BUISMAN A.M.
LEIRISALO-REPO M. *see* KIRVESKARI J.
LESLIE R. G. Q. The influence of complement receptor type 1 (CD35) and decay-accelerating factor (CD55) on complement receptor type 2- (CD21) mediated alternative pathway activation by B cells, 371
LEVI M. *see* DERETZI G.
LEW L. *see* MUTWIRI G.
LIDER O. *see* RABINOVICH G.A.
LIETZ G. *see* FILTEAU S.M.
LIM J.-S. *see* KIM K.D.
LIM Y.S. *see* KANG B.Y.
LIMA V.M.F. *see* SILVA C.L.
LIN W.-W. *see* CHEN B.-C.
LINT T.F. *see* ZHANG Y.
LIPFORD G.B. *see* BAUER M.
LOBB R.R. *see* DAVIES D.
LOCKEY R.F. *see* KUMAR, M.
LONGACRE, S. *see* GARRAUD, O.
LÓPEZ-HOYOS M., REVILLA C., CONDE C., DEL CAMPO E.G., GONZÁLEZ A. & MERINO J. Different roles for LFA-1 and VLA-4 integrins in T–B-cell interactions *in vivo*, 438
LORD E.M. *see* STOROZYNSKY E.
LOU J. *see* OBERHOLZER J.
LOVELAND B.E. *see* KARANIKAS V.
LUCAS A.D. & HALLIDAY G. M. Progressor but not regressor skin tumours inhibit Langerhans' cell migration from epidermis to local lymph nodes, 130
LÜDER C.G.K. *see* SOBOSLAY P.T.
LUNDQVIST M. *see* GETAHUN A.

MACKAY I.R. *see* KARANIKAS V.
MAEDA A. *see* KASE T.
MAGRO G. *see* NICOLETTI F.
MäKELÄ P.H. *see* PENTTILÄ J.M.
MÄKI-IKOLA O. *see* KIRVESKARI J.
MARCHE P.N. *see* KERBLAT I.
MATSUDA T. *see* TONG J.-J.
MATSUMOTO S., NANNO M., WATANABE N., MIYASHITA M., AMASAKI H., SUZUKI K. & UMESAKI Y. Physiological roles of γδ T-cell receptor intraepithelial lymphocytes in cytoproliferation and differentiation of mouse intestinal epithelial cells, 18
MATSUMOTO T. *see* MORINO N.
see also SAKURAI M.H.
MATSUSE H. *see* KUMAR M.
McCULLOUGH K.C. *see* KNOETIG S.M.
McGILL S.L. *see* KAREM K.L.
MEAGER A., WADHWA M., BIRD C., DILGER P., THORPE R., NEWSOM-DAVIS J. & WILLCOX N. Spontaneously occurring neutralizing antibodies against granulocyte–macrophage colony-stimulating factor in patients with autoimmune disease, 526
MÉCHERI S. *see* TKACZYK C.
MENTHA G. *see* OBERHOLZER J.
MERINO J. *see* LÓPEZ-HOYOS M.
MERONI P.L. *see* NICOLETTI F.
METZLER B. & WRAITH D. C. Inhibition of T-cell responsiveness by nasal peptide administration: influence of the thymus and differential recovery of T-cell-dependent functions, 257
MIDDLETON D. *see* GETAHUN A.
MILIANI DE MARVAL P. *see* RUBEL C.
MIMURA T. *see* KANDA H.
see also MORINO N.
MITANI A., NISHIMURA H., HIROSE K., WASHIZU J., KIMURA Y., TANAKA S., YAMAMOTO G., NOGUCHI T. & YOSHIKAI Y. Interleukin-15 production at the early stage after oral infection with *Listeria monocytogenes* in mice, 92
MIX E. *see* DERETZI G.
MIYASHITA M. *see* MATSUMOTO S.
MOHAPATRA S.S. *see* KUMAR M.
MOREL P. *see* OBERHOLZER J.
MORGAN B.P. *see* SPILLER O.B.
MORINO N., MATSUMOTO T., UEKI K., MIMURA T., HAMASAKI K., KANDA H., NARUSE T., YAZAKI Y. & NOJIMA Y. Glomerular overexpression and increased tyrosine phosphorylation of focal adhesion kinase $p125^{FAK}$ in lupus-prone MRL/MP-lpr/lpr mice, 634
MOUNTFORD A.P., COULSON P.S., CHEEVER A.W., SHER A., WILSON R.A. & WYNN T. A. Interleukin-12 can directly induce T-helper 1 responses in interferon-γ (IFN-γ) receptor-deficient mice, but requires IFN-γ signalling to downregulate T-helper 2 responses, 588
MÜLLER S., DEMOTZ S., BULLIARD C. & VALITUTTI S. Kinetics and extent of protein tyrosine kinase activation in individual T cells upon antigenic stimulation, 287
MÜLLER Y., WOLF H., WIERENGA E. & JUNG G. Induction of abortive and productive proliferation in resting human T lymphocytes via CD3 and CD28, 280
MULOKOZI G. *see* FILTEAU S.M.
MURAGUCHI A. *see* TONG J.-J.

MUTWIRI G., WATTS T., LEW L., BESKORWAYNE T., PAPP Z., BACA-ESTRADA M.E. & GRIEBEL P. Ileal and jejunal Peyer's patches play distinct roles in mucosal immunity of sheep, 455
MYERS L.K. *see* GUMANOVSKAYA M.L.

NAKAMURA M.C. *see* ERIKSSON M.
NAKANO Y. *see* ZHANG M.
NANNO M. *see* MATSUMOTO S.
NAORA H. & GOUGEON M.-L. Activation, survival and apoptosis of $CD45RO^+$ and $CD45RO^-$ T cells of human immunodeficiency virus-infected individuals: effects of interleukin-15 and comparison with interleukin-2, 181
NARUSE T. *see* MORINO N.
NEWSOM-DAVIS J. *see* HILL M.E.
see also MEAGER A.
NGUER C.M. *see* GARRAUD O.
NICOLETTI F., DI MARCO R., ZACCONE P., MAGRO G., DI MAURO M., GRASSO S. & MERONI P. L. Endogenous interleukin-12 only plays a key pathogenetic role in non-obese diabetic mouse diabetes during the very early stages of the disease, 367
NIEDERMAN R. *see* KAWASHIMA N.
NIGI H. *see* SAKAGUCHI M.
NISHIMURA H. *see* MITANI A.
see also NISHIMURA N.
NISHIMURA N., TOHYAMA C., SATOH M., NISHIMURA H. & REEVE V. E. Defective immune response and severe skin damage following UVB irradiation in interleukin-6-deficient mice, 77
NOGUCHI T. *see* MITANI A.
NOJIMA Y. *see* KANDA H.
see also MORINO N.
NOMOTO K. *see* UCHIYAMA H.
NOURSHARGH S. *see* DAVIES D.

O'MALLEY J.M. *see* WILLIAMSON E.
ÖBERG L. *see* DAWS M.R.
OBERHOLZER J., YU D., TRIPONEZ F., CRETIN N., ANDEREGGEN E., MENTHA G., WHITE D., BUEHLER L., MOREL P. & LOU J. Decomplementation with cobra venom factor prolongs survival of xenografted islets in a rat to mouse model, 173
OHTANI K. *see* KASE T.
OKUNO Y. *see* KASE T.

PALERMO M.S. *see* RUBEL C.
PAPP Z. *see* MUTWIRI G.
PARISH N.M., BRENNAN F.R. & COOKE A. Anti-CD44 treatment does not prevent the extravasation of autopathogenic T cells to the thyroid in experimental autoimmune thyroiditis, 533
PARK S.N. *see* KIM K.D.
PARKHOUSE R.M.E. *see* TAKAMATSU H.
PAULAUSKIS J.D. *see* SHI M.M.
PELIDOU S.H. *see* DERETZI G.
PEÑA J. *see* BORREGO F.
PENTTILÄ J.M., ANTTILA M., VARKILA K., PUOLAKKAINEN M., SARVAS M., MÄKELÄ P.H. & RAUTONEN N. Depletion of $CD8^+$ cells abolishes memory in acquired immunity against *Chlamydia pneumoniae* in BALB/c mice, 490
PERDOK G.J. *see* SCHUURMAN J.
PERONET R. *see* TKACZYK C.
PERRAUT R. *see* GARRAUD O.
PILSTRöM L. *see* GETAHUN A.
PORGADOR A. *see* SONG R.
PUOLAKKAINEN M. *see* PENTTILÄ J.M.
PUTTO-LAURILA A. *see* KIRVESKARI J.

QUIDING C. *see* DERETZI G.

RABINOVICH G.A., ARIEL A., HERSHKOVIZ R., HIRABAYASHI J., KASAI K.-I. & LIDER O. Specific inhibition of T-cell adhesion to extracellular matrix and pro-inflammatory cytokine secretion by human recombinant galectin-1, 100
RAJASINGAM D. *see* ALVI S.A.
RAUTONEN N. *see* PENTTILÄ J.M.
REDMOND K.M. *see* AYALA A.
REEVE V.E. *see* NISHIMURA N.
REGNAULT V., ARVIEUX J., VALLAR L. & LECOMPTE T. Both kinetic data and epitope mapping provide clues for understanding the anti-coagulant effect of five murine monoclonal antibodies to human β_2-glycoprotein I, 400
REGNERY R.L. *see* KAREM K.L.
REVILLA C. *see* LÓPEZ-HOYOS M.
RIESCH S. *see* SOBOSLAY P.T.
RIPLEY B.J.M., STEPHANOU A., ISENBERG D.A. & LATCHMAN D. S. Interleukin-10 activates heat shock protein 90β gene expression, 226
RITZ J. *see* BORREGO F.
ROBERTS A.I., BROLIN R.E. & EBERT E. C. Integrin $\alpha_1\beta_1$ (VLA-1) mediates adhesion of activated intraepithelial lymphocytes to collagen, 679
ROBERTSON M.J. *see* BORREGO F.
ROSLONIEC E.F. *see* GUMANOVSKAYA M.L.
ROWLEY M.J. *see* KARANIKAS V.
RUBEL C., MILIANI DE MARVAL P., VERMEULEN M.A., ISTURIZ M.S. & PALERMO M. S. Lipopolysaccharide enhances FcγR-dependent functions *in vivo* through CD11b/CD18 up-regulation, 429
RYAN J.C. *see* ERIKSSON M.

SACKS S.H. *see* SHEERIN N.S.
SAITO S. *see* SAKAGUCHI M.
SAKAGUCHI M., KOBAYASHI C., INOUYE S., SAITO S., HIRAHARA K., SHIRAISHI A., KONAKA A., YAMADA T. & NIGI H. The incidence of Japanese cedar pollinosis and sensitization to the pollen allergens among Japanese monkeys in a troop, 348
SAKAI T. *see* ZHANG M.
SAKAMOTO T. *see* KASE T.
SAKURAI M.H., MATSUMOTO T., KIYOHARA H. & YAMADA H. B-cell proliferation activity of pectic polysaccharide from a medicinal herb, the roots of *Bupleurum falcatum* L. and its structural requirement, 540
SALGAME P. *see* HU C.
SANZ M.-J. *see* DAVIES D.
SARVAS M. *see* PENTTILÄ J.M.
SATOH M. *see* NISHIMURA N.
SCHULZ-KEY H. *see* SOBOSLAY P.T.
SCHUURMAN J., VAN REE R., PERDOK G.J., VAN DOORN H.R., TAN K.Y. & AALBERSE R. C. Normal human immunoglobulin G4 is bispecific: it has two different antigen-combining sites, 693
SENTMAN C.L. *see* DAWS M.R.
see also ERIKSSON M.
SHEERIN N.S., SPRINGALL T., CARROLL M. & SACKS S. H. Altered distribution of intraglomerular immune complexes in C3-deficient mice, 393
SHER A. *see* MOUNTFORD A.P.
SHI M.M., CHONG I.-W., GODLESKI J.J. & PAULAUSKIS J. D. Regulation of macrophage inflammatory protein-2 gene expression by oxidative stress in rat alveolar macrophages, 309
SHIMODA M., INOUE Y., AZUMA N. & KANNO C. Natural polyreactive immunoglobulin A antibodies produced in mouse Peyer's patches, 9
SHIRAISHI A. *see* SAKAGUCHI M.
SILVA C.L., BONATO V.L.D., LIMA V.M.F., FACCIOLI L.H. & LEÃO S. C. Characterization of the memory/activated T cells that mediate the long-lived host response against tuberculosis after bacillus CalmetteGuérin or DNA vaccination, 573
SMITH M., BURCHELL J.M., GRAHAM R., COHEN E.P. & TAYLOR-PAPADIMITRIOU J. Expression of B7.1 in a MUC1-expressing mouse mammary epithelial tumour cell line inhibits tumorigenicity but does not induce autoimmunity in *MUC1* transgenic mice, 648
SOBOSLAY P.T., LÜDER C.G.K., RIESCH S., GEIGER S.M., BANLA M., BATCHASSI E., STADLER A. & SCHULZ-KEY H. Regulatory effects of Th1-type (IFN-γ, IL-12) and Th2-type

cytokines (IL-10, IL-13) on parasite-specific cellular responsiveness in *Onchocerca volvulus*-infected humans and exposed endemic controls, 219
SOLANA R. *see* BORREGO F.
SONG R., PORGADOR A. & HARDING C. V. Peptide-receptive class I major histocompatibility complex molecules on TAP-deficient and wild-type cells and their roles in the processing of exogenous antigens, 316
SPAGNUOLO-WEAVER M. *see* KNOETIG S.M.
SPENCER J. *see* BOURSIER L.
SPIEGEL A. *see* GARRAUD O.
SPILLER O.B., HANNA S.M. & MORGAN B. P. Tissue distribution of the rat analogue of decay-accelerating factor, 374
SPRINGALL T. *see* SHEERIN N.S.
STADLER A. *see* SOBOSLAY P.T.
STASHENKO P. *see* KAWASHIMA N.
STEPHANOU A. *see* RIPLEY B.J.M.
STOROZYNSKY E., WOODWARD J.G., FRELINGER J.G. & LORD E. M. Interleukin-3 and granulocyte–macrophage colony-stimulating factor enhance the generation and function of dendritic cells, 138
STUART J.M. *see* GUMANOVSKAYA M.L.
SUANKRATAY C. *see* ZHANG Y.
SUGIMACHI K. *see* UCHIYAMA H.
SULLIVAN M.H.F. *see* ALVI S.A.
SUMMERFIELD A. *see* KNOETIG S.M.
SUZUKI K. *see* MATSUMOTO S.
SUZUKI Y. *see* KASE T.

TACHIBANA H. *see* HARUTA H.
TAKAMATSU H., ANDERSEN J.K., DENYER M.S. & PARKHOUSE R. M. E. Establishment of long-term CD154-dependent porcine B-cell cultures, 211
TAN K.Y. *see* SCHUURMAN J.
TAN X.-D. *see* WANG H.
TANAKA S. *see* MITANI A.
TANEGASHIMA A., YAMASHITA A., YAMAMOTO H. & FUKUNAGA T. Human parathymic lymph node: morphological and functional significance, 301
TAYLOR-PAPADIMITRIOU J. *see* SMITH M.
THORPE R. *see* MEAGER A.
TKACZYK C., VILLA I., PERONET R., DAVID B. & MÉCHERI S. Fcε RI-mediated antigen endocytosis turns interferon-γ-treated mouse mast cells from inefficient into potent antigen-presenting cells, 333
TOHYAMA C. *see* NISHIMURA N.
TOMKINS A.M. *see* FILTEAU S.M.
TONG J.-J., KISHI H., MATSUDA T. & MURAGUCHI A. A bone marrow-derived stroma cell line, ST2, can support the differentiation of fetal thymocytes from the $CD4^-$ $CD8^-$ double negative to the $CD4^+$ $CD8^+$ double positive differentiation stage *in vitro*, 672
TRIPONEZ F. *see* OBERHOLZER J.
TROUTAUD D., DROUET M., DECOURT C., LE MORVAN C. & COGNÉ M. Age-related alterations of somatic hypermutation and CDR3 lengths in human Vκ4-expressing B lymphocytes, 197
TUTEJA R. B-cell responses to a peptide epitope: mutations in heavy chain alone lead to maturation of antibody responses, 1
TYKOCINSKI M.L. *see* FAYEN J.D.

UCHIYAMA H., KONG Y.-Y., KISHIHARA K., SUGIMACHI K. & NOMOTO K. Approach to withdrawal from tacrolimus in a fully allogeneic murine skin graft model, 294
UEKI K. *see* MORINO N.
ULLÉN A. *see* DAWS M.R.
ULLMANN-CULLERE M. *see* KAWASHIMA N.
UMESAKI Y. *see* MATSUMOTO S.

VALITUTTI S. *see* MÜLLER S.
VALLAR L. *see* REGNAULT V.
VAN DIJK M. *see* GARSSEN J.
VAN DOORN H.R. *see* SCHUURMAN J.
VAN FURTH R. *see* BUISMAN A.M.
VAN LOVEREN H. *see* GARSSEN J.
VAN REE R. *see* SCHUURMAN J.
VAN ZWET TH.L. *see* BUISMAN A.M.
VANDEBRIEL R.J. *see* GARSSEN J.
VARKILA K. *see* PENTTILÄ J.M.
VERMEULEN M.A. *see* RUBEL C.
VERWEIJ W.R. *see* DE HAAN L.
VILLA I. *see* TKACZYK C.
VINEY J.L. *see* WILLIAMSON E.

WADHWA M. *see* MEAGER A.
WAGNER H. *see* BAUER M.
WAHREN B. *see* DERETZI G.
WAKAMIYA N. *see* KASE T.
WANG H., TAN X.-D., CHANG H., HUANG W., GONZALEZ-CRUSSI F. & HSUEH W. Platelet-activating factor receptor mRNA is localized in eosinophils and epithelial cells in rat small intestine: regulation by dexamethasone and gut flora, 447
WANG J. *see* CAO X.
WARR G. *see* GETAHUN A.
WASHIZU J. *see* MITANI A.
WATANABE N. *see* MATSUMOTO S.
WATTS T. *see* MUTWIRI G.
WEG V.B. *see* DAVIES D.
WERFEL T. *see* ZWIRNER J.
WHITE D. *see* OBERHOLZER J.
WIERENGA E. *see* MÜLLER Y.
WILLCOX H.N.A. *see* HILL M.E.
WILLCOX N. *see* MEAGER A.
WILLIAMSON E., O'MALLEY J.M. & VINEY J. L. Visualizing the T-cell response elicited by oral administration of soluble protein antigen, 565
WILLS F.L., GILCHRIST M. & BEFUS A. D. Interferon-γ regulates the interaction of RBL-2H3 cells with fibronectin through production of nitric oxide, 481
WILSCHUT J. *see* DE HAAN L.
WILSON R.A. *see* MOUNTFORD A.P.
WOLF H. *see* MÜLLER Y.
WOLVERS D.A.W. *see* GARSSEN J.
WOODWARD J.G. *see* STOROZYNSKY E.
WRAITH D.C. *see* METZLER B.
WUORELA M. *see* KIRVESKARI J.
WYNN T.A. *see* MOUNTFORD A.P.

XU Y.X. *see* AYALA A.

YAMADA H. *see* SAKURAI M.H.
YAMADA K. *see* HARUTA H.
YAMADA T. *see* SAKAGUCHI M.
YAMAMOTO G. *see* MITANI A.
YAMAMOTO H. *see* TANEGASHIMA A.
YAMAMOTO K. *see* KANDA H.
YAMASHITA A. *see* TANEGASHIMA A.
YAZAKI Y. *see* KANDA H.
see also MORINO N.
YOSHIKAI Y. *see* MITANI A.
YU D. *see* OBERHOLZER J.
YU X. *see* ZHU L.

ZACCONE P. *see* NICOLETTI F.
ZHANG M. *see* CAO X.
ZHANG M., HISAEDA H., SAKAI T., ISHIKAWA H., HAO Y.-P., NAKANO Y., ITO Y. & HIMENO K. Macrophages expressing heat-shock protein 65 play an essential role in protection of mice infected with *Plasmodium yoelii*, 611
ZHANG W. *see* CAO X.
ZHANG X.-H. *see* ZHANG Y.
ZHANG Y., SUANKRATAY C., ZHANG X.-H., JONES D.R., LINT T.F. & GEWURZ H. Calcium-independent haemolysis via the lectin pathway of complement activation in the guinea pig and other species, 686
ZHU J. *see* DERETZI G.
ZHU L., YU X., AKATSUKA Y., COOPER J.A. & ANASETTI C. Role of mitogen-activated protein kinases in activation-induced apoptosis of T cells, 26
ZOU L.P. *see* DERETZI G.
ZWIRNER J., GÖTZE O., BEGEMANN G., KAPP A., KIRCHHOFF K. & WERFEL T. Evaluation of C3a receptor expression on human leucocytes by the use of novel monoclonal antibodies, 166

Subject Index

Anticoagulant effect:
of monoclonal antibodies to human β_2-glycoprotein I, 400
Apoptosis, T cell, inducible:
during sepsis, 45
Autoimmune neuritis, experimental:
suppression by intranasal interleukin-6, 69
Autoimmunity:
and self-perpetuating B lymphocytes, 188
Autoreactive cytotoxic T cells:
adjuvant induced, 264

B7.1 expression in MUC1 mouse mammary tumour, 648
Bacillus Calmette–Guérin, recombinant:
generation of T helper 1-type response, 515
Bartonella henselae:
specific immunity in BALB/C mice, 352
B-cell lines, porcine:
long term, 211

C3a receptor expression:
on human leucocytes, 166
CasL, tyrosine phosphorylation of:
regulation by tyrosine kinase, 56
CD3 and CD28:
role in proliferation of human T cells, 280
CD69:
in natural killer cell activation and cytotoxicity, 159
Chlamydia pneumoniae in mice:
role of $CD8^+$ T cells, 490
Collagen-induced arthritis:
tolerance in, 466
Complement receptor type 1 and decay-accelerating factor:
influence on B-cell activation, 371
Cytokines, milk, and subclinical breast inflammation:
effects of dietary supplementation, 595

Decay-accelerating factor, rat analogue:
tissue distribution, 374
Dendritic cells:
enhancement by cytokines, 138
Dendritic cell-based tumour vaccine, 616
Dendritic cells, human:
bulk culture, 325 characterization and activation by bacillus Calmette–Guérin, 626
DNA:
activation of human immune cells through CpG sequence, 699
DNA vaccination:
characterization of T-cell response induced by, 573

Enterotoxin, heat labile:
mucosal adjuvanticity, 706
Experimental autoimmune thyroiditis:
anti-CD44 and autopathogenic T cells, 533

FcεRI-dependent antigen presentation:
to mast cells, 333
FcγRI, high-affinity receptor:
activation of SHIP, 641
Focal adhesion kinase:
in lupus-prone mice, 634

Galectin-1:
immunological properties, 100
γδ T cell, expansion:
requirements for $CD4^+$ T cells, 272
Gene therapy, interferon-γ and interleukin-4 targeted:
in atopy, 462
Granulocyte colony-stimulating factor:
effect on bone marrow cells, 601
Granulocyte–macrophage colony-stimulating factor, antibodies to:
in autoimmune disease, 526

H-$2D^d$:
induction of Ly49A phosphorylation and SHP1 recruitment, 656
Heat shock protein 65 expression, macrophage:
in severe malaria, 611
Heat shock protein 70:
protection against T-cell apoptosis, 36
Heavy-chain mutations:
and maturation of antibody responses, 1

Immune complexes, glomerular, distribution:
in C3-deficient mice, 393
Immunoglobulin G4, human:
bispecificity, 693
Immunoglobulin M polymerization:
influence of μ-chain C-terminus, 408
Immunosuppression, nitric oxide mediated:
in alveolar *Echinococcus multilocularis*, 107
Integrins, LFA-1 and VLA-4:
roles in T–B interactions, 438
Interferon-γ:
regulation of mast cell adhesion, 481
Interleukin-1β and prostaglandin output from human fetal membranes, 249
Interleukin-6:
effects on peripheral nervous system, 582
Interleukin-6-deficient mice:
effects on immune responses of UVB radiation, 77
Interleukin-10:
activation of heat shock protein 90β gene expression, 226
Interleukin-12:
effects on human T-cell clones, 84 effects on mite-induced airway inflammation, 232 induction of T helper 1 responses, 588 role in non-obese diabetic mouse insulin-dependent diabetes melitus, 367
Interleukin-12-secreting cells:
resistance to *Mycobacterium avium* complex, 474
Interleukin-15:
in oral *Listeria monocytogenes* infection, 92
Interleukin-15 and interleukin-2:
effects on $CD45RO^+$ and $CD45RO^-$ T cells in human immunodeficiency virus infection, 181
Interleukin-16:
effects on macrophages and dendritic cells, 241
Intestinal epithelial cells:
regulation by γδ T-cell receptors, 18

Langerhan's cell migration:
inhibition by skin tumours, 130
Lectin pathway, of complement activation:
haemolysis in the absence of calcium, 686
Light chain diversity:
and senescence, 197
Lipopolysaccharide:
enhancement of FcγR-dependent functions, 429
Lymph node, parathymic, human:
significance of, 301

Macrophage inflammatory protein-2 gene expression:
regulation by oxidative stress, 309
Macrophages, alveolar:

differential phosphorylation of syk and paxillin, 414
Major histocompatibility complex class I expression:
and enterobacterial infection, 420
Major histocompatibility complex class I, peptide receptive:
and antigen processing, 316
Mannan-binding lectin:
anti-influenza A activities, 385
MAP kineases:
in T-cell apoptosis, 26
Mitogen-activated protein kinase, p38:
involvement in iNOS and COX-2 expression, 124

Natural killer cells, Ly49A inhibitory receptors:
redistribution, 341

Onchocerciasis:
regulatory effects of cytokines, 219

Pectin polysaccharide:
effect on B-cell proliferation, 540
Peyer's patches, sheep:
and mucosal immunity, 455
Plasma cells, human intestinal:
use of immunoglobulin V_H genes, 558
Plasmodium falciparum merozite surface protein-1 antigen:
immune responses to, 497
Plasmodium falciparum merozite surface protein-1_{19} antigen:
antibody responses to, 204
Platelet-activating factor receptor:
localization and regulation, 447
Pollinosis and sensitization:
incidence in monkeys, 348
Pollinosis, monkey:
prevalence of, 522
Polyreactive antibody, immunoglobulin A:
natural, 9

Protein tyrosine kinase activation:
in single T lymphocytes, 287

Selectin P/E, knockout mice:
bone destruction in, 117
Swine fever, classical:
role of monocyte cells, 359

Tacrolimus withdrawal:
in murine skin grafting, 294
T-cell differentiation:
on bone marrow-derived stroma cells, 672
T-cell responses:
to oral antigen, 565
Thioredoxin:
in immunoglobulin proteolysis, 62
Thymocyte development:
identification of T-cell receptor $\alpha\beta^+CD4^+CD8^-$ thymocytes, 665
Tolerance, T helper:
analysis following nasal administration of peptide, 257

UVB exposure:
modulation of T helper 1 and T helper 2 responses, 801

Vascular cell adhesion molecule:
and chemoattractant-induced eosinophil accumulation, 150
Very late activation antigen-1:
mediation of adhesion of intraepithelial lymphocytes to collagen, 679
$V_\lambda J_\lambda$ rearrangement:
in some human plasma B cells, 549

Xenografted islets:
survival following cobra venom factor decomplementation, 173